


**GATE HOUSE PLAN**



**SECTION A-A**

- NOTES**
1. DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED
  2. ALL EXPOSED CONCRETE SURFACES TO HAVE A 25mmx25mm CHAMFER
  3. P.C.C WINDOW CILLS TO HAVE DRIPS
  4. FOR DOOR AND WINDOWS SCHEDULE SEE DRG. No. M407/SD/25-27
  5. CONCRETE WORKS: ALL REINFORCED CONCRETE TO BE CLASS 25/20 EXCEPT WHERE OTHERWISE SPECIFIED
  6. STEEL REINFORCEMENT: UNLESS WHERE SPECIFIED, CONTRACTOR TO ALLOW, PER CUBIC METRE OF CONCRETE, 120kg OF HIGH TENSILE STEEL REINFORCEMENT TO SRN 127, SIZE 12mm DIA AND, ABOVE IN HIS QUANTITIES FOR BUILDING WORKS, INCLUDING FOR CUTTING, TYING, PROPPING, SPACER BLOCKS, ETC AS REQUIRED
  7. ABBREVIATIONS  
 D.P.C - DAMP PROOF COURSE  
 W.C - WATER CLOSET  
 R.C - REINFORCED CONCRETE

CLIENT: **CHIEF EXECUTIVE OFFICER  
TANA WATER WORKS  
DEVELOPMENT AGENCY**  
P.O BOX 1292 - 10100,  
NYERI, KENYA

ENGINEER: **CHIEF EXECUTIVE OFFICER  
TANA WATER WORKS  
DEVELOPMENT AGENCY**  
P.O BOX 1292 - 10100,  
NYERI, KENYA

PROJECT TITLE:  
**TETU AGUTHI  
WATER SUPPLY**

DRAWING TITLE:  
**TETU WATER TREATMENT WORKS  
GUARD HOUSE**

Designed by: K.N.G.      Drawn by: A.M.M  
 Checked by: J.M.M      Approved by: D.N.M  
 Scale: 1:50      Date: JAN 2024  
**DRG No. TAWP/GH/01**